

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Accelerator - component B
UFI : YM00-P0D6-F006-F5MW

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B 8870 Izegem
Belgium
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78
info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332

Skin sensitisation, Category 1 H317

Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H335

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS07
CLP Signal word	: Warning
Contains	: Hexamethylene diisocyanate oligomers
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H332 - Harmful if inhaled. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P261 - Avoid breathing mist, spray. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P501 - Dispose of contents/container in accordance with local regulations.
EUH-statements	: EUH204 - Contains isocyanates. May produce an allergic reaction.

Nordic countries regulation

Denmark

MAL code : 0-3

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Hexamethylene diisocyanate oligomers (28182-81-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,6-diisocyanatohexane (822-06-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethylene diisocyanate oligomers	CAS-No.: 28182-81-2 EC-No.: 931-274-8 REACH-no: 01-2119485796-17	~ 100	Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=0,39 mg/l/4h) Skin Sens. 1, H317 STOT SE 3, H335
1,6-diisocyanatohexane	CAS-No.: 822-06-0 EC-No.: 212-485-8 EC Index-No.: 615-011-00-1 REACH-no: 01-2119457571-37	< 0,1	Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334 Skin Sens. 1, H317

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,6-diisocyanatohexane	CAS-No.: 822-06-0 EC-No.: 212-485-8 EC Index-No.: 615-011-00-1 REACH-no: 01-2119457571-37	(0,5 ≤ C ≤ 100) Skin Sens. 1; H317 (0,5 ≤ C ≤ 100) Resp. Sens. 1; H334

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: If on skin : Wash with plenty of soap and water.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Give nothing to drink. Do NOT induce vomiting. (Irritation of the stomach possible.) Ask for medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Repeated exposure may cause sensitization due to an allergic reaction of the skin.
Symptoms/effects after eye contact	: Risk of serious damage to eyes.
Symptoms/effects after ingestion	: May cause lung damage if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: On heating/burning: release of harmful gases/vapours. Combustible liquid.
Hazardous decomposition products in case of fire	: Nitrogen oxides. Carbon dioxide. Carbon monoxide. fume. hydrogen cyanide; hydrocyanic acid. Isocyanates.

5.3. Advice for firefighters

Protection during firefighting	: Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Avoid contact of substance with water. Use water moderately and if possible collect or contain it. Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Nitrile-rubber protective gloves.
Emergency procedures	: Do not get in eyes, on skin, or on clothing. Ventilate spillage area.

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment	: Self-contained breathing apparatus. Use personal protective equipment as required. Protective gloves. Safety glasses.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Do not allow water (or moist air) contact with this material. Prevent entry to sewers and public waters. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.
Other information	: See Section 1. See Section 8.2.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Use personal protective equipment as required.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and face before break and at end of works. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: The floor of the depot should be impermeable and designed to form a water-tight basin.
Storage conditions	: Store in dry, cool, well-ventilated area. Protect material from direct sunlight. Store in tightly closed packings. Do not allow product to spread into the environment. Do not re-use empty containers.
Incompatible products	: Containers which are opened should be properly resealed and kept upright to prevent leakage.
Storage temperature	: $\geq 5 - \leq 35$ °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1,6-diisocyanatohexane (822-06-0)	
Belgium - Occupational Exposure Limits	
Local name	Diisocyanate d'hexaméthylène # Hexamethyleendi-isocyanaat
Limit value [mg/m³]	0,034 mg/m³
Limit value [ppm]	0,005 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Denmark - Occupational Exposure Limits	
Local name	Hexamethyleendiisocyanaat
Grænseværdi (8 timer) (mg/m³)	0,035 mg/m³

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,6-diisocyanatohexane (822-06-0)	
Grænseværdi (8 timer) (ppm)	0,005 ppm
Grænseværdi (STEL) (mg/m³)	0,07 mg/m³
Grænseværdi (STEL) (ppm)	0,01 ppm
Switzerland - Occupational Exposure Limits	
Local name	Hexamethylendiisocyanat
Notation	B
Remark	Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen
Switzerland - BAT	
Local name	Hexamethyldiamin (nach Hydrolyse)
BAT	15 µg/g creatinine
USA - ACGIH - Occupational Exposure Limits	
Local name	Hexamethylene diisocyanate
ACGIH TWA (ppm)	0,005 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: URT irr; resp sens. Notations: BEI
Regulatory reference	ACGIH 2023
USA - ACGIH - Biological Exposure Indices	
Local name	1,6-HEXAMETHYLENE DIISOCYANATE
Biological Exposure Indices (BEI)	15 µg/g creatinine Parameter: 1,6-Hexamethylene diamine (with hydrolysis) - Medium: urine - Sampling time: End of shift
Regulatory reference	ACGIH 2023

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Hexamethylene diisocyanate oligomers (28182-81-2)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1 mg/m³
Long-term - local effects, inhalation	0,5 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0,127 mg/l
PNEC aqua (marine water)	0,0127 mg/l
PNEC aqua (intermittent, freshwater)	1,27 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,2667 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,0532 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	38,28 mg/l

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,6-diisocyanatohexane (822-06-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	0,07 mg/m³
Acute - local effects, inhalation	0,07 mg/m³
Long-term - systemic effects, inhalation	0,035 mg/m³
Long-term - local effects, inhalation	0,035 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0,0774 mg/l
PNEC aqua (marine water)	0,00774 mg/l
PNEC aqua (intermittent, freshwater)	0,774 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,001334 mg/kg dwt
PNEC sediment (marine water)	0,01334 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,0026 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	8,42 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection			
Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear anti-static discharges clothing and shoes. Foresee ground with earth

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,3		EN 374-2

Other skin protection

Materials for protective clothing:

Impervious footwear must be worn

8.2.2.3. Respiratory protection

Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection			
Device	Filter type	Condition	Standard
approved mask with particle filter A	Type P2		EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Try to prevent the material from entering drains or water courses.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: colourless.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: < -20 °C
Freezing point	: Not available
Boiling point	: > 150 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 228 °C Closed cup
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not tested
Viscosity, kinematic	: Not available
Viscosity, dynamic	: ≈ 600 mPa·s 25°C
Solubility	: Reacts with water.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1,1 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific measures identified.

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Stable under normal conditions. See Section 7.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Hazardous decomposition products in case of fire.

10.5. Incompatible materials

alcohols. Acids. Bases.

10.6. Hazardous decomposition products

carbon oxides (CO and CO₂). nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.

Rubio Monocoat Accelerator - component B

ATE CLP (dust,mist)	1,5 mg/l/4h
---------------------	-------------

Hexamethylene diisocyanate oligomers (28182-81-2)

LD50 oral rat	> 2500 mg/kg OECD 423 (female)
LD50 dermal rat	> 2000 mg/kg OECD 402
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0,39 mg/l/4h OECD 403 (female)

1,6-diisocyanatohexane (822-06-0)

LD50 oral rat	959 mg/kg bodyweight OECD 401
LD50 dermal rat	> 7000 mg/kg bodyweight
LD50 dermal rabbit	> 7000 mg/kg bodyweight OECD 402
LC50 Inhalation - Rat	0,124 mg/l/4h OECD 403

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not tested
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not tested
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.

Hexamethylene diisocyanate oligomers (28182-81-2)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

1,6-diisocyanatohexane (822-06-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
------------------------	-------------------------------------------------------------------------------------

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,6-diisocyanatohexane (822-06-0)

NOAEC (inhalation, rat, gas, 90 days)	0,005 ppmv/6h/day
---------------------------------------	-------------------

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product does not have any adverse effects on the aquatic organisms.
Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)
(acute)
Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met)
(chronic)

Hexamethylene diisocyanate oligomers (28182-81-2)

LC50 fish 1	8,9 mg/l Brachydanio rerio
EC50 Daphnia 1	127 mg/l Daphnia magna (48h static / EU C.2)
EC50 other aquatic organisms 1	3828 mg/l Activated sludge, 3h, OECD 209 method
EC50 other aquatic organisms 2	> 1000 mg/l Scenedesmus subspicatus, 72h, DIN 38412
ErC50 (algae)	> 1000 mg/l Desmodesmus subspicatus (72h)

1,6-diisocyanatohexane (822-06-0)

EC50 other aquatic organisms 1	842 mg/l Bakterie (3h)
EC50 72h - Algae [1]	> 77,4 mg/l
ErC50 (algae)	> 77,4 mg/l Desmodesmus subspicatus (72h)
NOEC chronic algae	11,7 mg/l Desmodesmus subspicatus (72h)

12.2. Persistence and degradability

Hexamethylene diisocyanate oligomers (28182-81-2)

Biodegradation	1 % (28 days)
----------------	---------------

1,6-diisocyanatohexane (822-06-0)

Persistence and degradability	Not readily biodegradable.
Biodegradation	42 % (28 days)

12.3. Bioaccumulative potential

Hexamethylene diisocyanate oligomers (28182-81-2)

BCF fish 1	3,2 mg/l
------------	----------

1,6-diisocyanatohexane (822-06-0)

BCF fish 1	58 mg/l
Log Pow	1,08 (QSAR)
Bioaccumulative potential	Slightly bioaccumulative.

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

Hexamethylene diisocyanate oligomers (28182-81-2)

Log Koc	7,8
---------	-----

1,6-diisocyanatohexane (822-06-0)

Log Koc	5861
---------	------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

European List of Waste (LoW, EC 2000/532) : 08 05 01* - waste isocyanates
H code : Auto detect - Auto detect

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Transport regulations (ADR) : Not applicable

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Transport regulations (IMDG) : Not applicable

Air transport

Transport regulations (IATA) : Not applicable

Inland waterway transport

No data available

Rail transport

Transport regulations (RID) : Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0 g/l

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(2) - toxic for aquatic organisms

SZW-list of carcinogenic substances : None of the components are listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Development

Denmark

MAL code : 0-3

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material
The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal

15.2. Chemical safety assessment

No additional information available

Rubio Monocoat Accelerator - component B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	The classification complies with		
	The classification complies with		ATP 18

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
EUH204	Contains isocyanates. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.