

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Precolor Easy

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B 8870 Izegem
Belgium
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78
info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|-----------------------------|------------------|-----------------------------------|
| Australia | NSW Poisons Information Centre The Children's Hospital at Westmead | Locked Bag 4001 NSW 2145 | 13 11 26 | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.
EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH208 - Contains 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component | |
|--|---|
| 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] (13463-67-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|--------|--|
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] substance with national workplace exposure limit(s) (BE, DK, FR, GB, SE, NO) | CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17 | 0 – 20 | Carc. 2, H351 |
| 1,2-benzisothiazol-3(2H)-one (BIT) | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60 | 0,01 | Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Acute Tox. 1 (Inhalation:dust,mist), H330 (ATE=0,005 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|------------------------------------|---|---|
| 1,2-benzisothiazol-3(2H)-one (BIT) | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60 | (0,036 $\leq C \leq 100$) Skin Sens. 1; H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : If medical advice is needed, have product container or label at hand. |
| First-aid measures after inhalation | : under the recommended handling conditions: not required. |
| First-aid measures after skin contact | : If on skin : Wash with plenty of soap and water. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| First-aid measures after ingestion | : In all cases of doubt, or when symptoms persist, seek medical attention. |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : Get medical advice/attention if you feel unwell. |
| Symptoms/effects after inhalation | : None under normal conditions. |
| Symptoms/effects after skin contact | : None under normal conditions. |
| Symptoms/effects after eye contact | : None under normal conditions. |
| Symptoms/effects after ingestion | : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Can't burn. Water mist, carbonic acid, foam or powder against surrounding fire.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Precautionary measures fire | : Evacuate area. |
| Firefighting instructions | : Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Self-contained breathing apparatus. |
| Other information | : Exercise caution when fighting any chemical fire. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8.
Limit spread.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

See above (see point 6.1/6.2/6.3).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-----------------------------------|---|
| Additional hazards when processed | : Do not eat, drink or smoke while using this product. |
| Precautions for safe handling | : Avoid contact with the eyes and prolonged contact with the skin. After use, wash with plenty of soap and water. |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

See application - point 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Rubio Monocoat Precolor Easy | |
|---|--|
| Belgium - Occupational Exposure Limits | |
| Local name | Alcool isopropylique # Isopropylalcohol |
| Limit value [mg/m³] | 500 mg/m³ |
| Limit value [ppm] | 200 ppm |
| Short time value [mg/m³] | 1000 mg/m³ |
| Short time value [ppm] | 400 ppm |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Propan-2-ol |
| WEL TWA (mg/m³) | 999 mg/m³ |
| WEL TWA (ppm) | 400 ppm |
| WEL STEL (mg/m³) | 1250 mg/m³ |
| WEL STEL (OEL STEL) [ppm] | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| United Kingdom - Biological limit values | |
| Local name | Butan-2-one (methyl ethyl ketone) |
| BMGV | 70 µmol/l Parameter: butan-2-one - Medium: urine - Sampling time: Post shift |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | 2-Propanol |
| ACGIH TWA (ppm) | 200 ppm |
| ACGIH STEL (ppm) | 400 ppm |
| Remark (ACGIH) | TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI |
| Regulatory reference | ACGIH 2023 |
| USA - ACGIH - Biological Exposure Indices | |
| Local name | 2-PROPANOL |
| Biological Exposure Indices (BEI) | 40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns |
| Regulatory reference | ACGIH 2023 |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) | |
|---|---|
| Belgium - Occupational Exposure Limits | |
| Local name | Titane (dioxyde de) # Titaandioxide |
| Limit value [mg/m³] | 10 mg/m³ |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |
| Denmark - Occupational Exposure Limits | |
| Local name | Titandioxid, beregnet som Ti |
| Grænseværdi (8 timer) (mg/m³) | 6 mg/m³ |
| Grænseværdi (STEL) (mg/m³) | 12 mg/m³ |
| Remark | K |
| France - Occupational Exposure Limits | |
| VME [mg/m³] | 10 mg/m³ |
| Sweden - Occupational Exposure Limits | |
| Local name | Titandioxid |
| Nivågränsvärde (NVG) (mg/m³) | 5 mg/m³ |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| WEL TWA (mg/m³) | 10 mg/m³ 4 mg/m³ |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Norway - Occupational Exposure Limits | |
| Local name | Titandioksid |
| Grenseverdier (AN) (mg/m³) | 5 mg/m³ |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| ACGIH TWA (mg/m³) | 0,2 mg/m³ 2,5 mg/m³ |
| Remark (ACGIH) | TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2023 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| 2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4) | |
|--|--------------------|
| DNEL/DMEL (Workers) | |
| Acute - local effects, inhalation | 0,043 mg/m³ |
| Long-term - local effects, inhalation | 0,021 mg/m³ |
| DNEL/DMEL (General population) | |
| Acute - systemic effects, oral | 0,053 mg/kg bw/day |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|--------------------|
| 2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4) | |
| Acute - local effects, inhalation | 0,043 mg/m³ |
| Long-term - systemic effects, oral | 0,027 mg/kg bw/day |
| Long-term - local effects, inhalation | 0,021 mg/m³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 3,39 µg/l |
| PNEC aqua (marine water) | 3,39 µg/l |
| PNEC (Soil) | |
| PNEC soil | 0,047 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 0,23 mg/l |
| 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 0,966 mg/kg bw/day |
| Long-term - systemic effects, inhalation | 6,81 mg/m³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects, inhalation | 1,2 mg/m³ |
| Long-term - systemic effects, dermal | 0,345 mg/kg bw/day |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 4,03 µg/l |
| PNEC aqua (marine water) | 0,403 µg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 49,9 µg/kg dw |
| PNEC sediment (marine water) | 4,99 µg/kg dw |
| PNEC (Soil) | |
| PNEC soil | 3 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1,03 mg/l |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) | |
| DNEL/DMEL (Workers) | |
| Long-term - local effects, inhalation | 1,25 mg/m³ |
| DNEL/DMEL (General population) | |
| Long-term - local effects, inhalation | 210 µg/m³ |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

| Eye protection | | | |
|----------------|---------|-------------------|----------|
| Type | Use | Characteristics | Standard |
| Safety glasses | Droplet | With side shields | EN 166 |

8.2.2.2. Skin protection

| Hand protection | | | | | |
|-------------------|----------------------|-------------------|----------------|-------------|----------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| protective gloves | Nitrile rubber (NBR) | 5 (> 240 minutes) | >0,3 | | EN 374-2 |

8.2.2.3. Respiratory protection

Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

| Respiratory protection | | | |
|------------------------|-------------|-----------|----------|
| Device | Filter type | Condition | Standard |
| Gas/Particle Filter | typeA/P2 | | EN 140 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|--------------------|
| Physical state | : Liquid |
| Colour | : Various colours. |
| Appearance | : Liquid. |
| Odour | : odourless. |
| Odour threshold | : Not available |
| Melting point | : ≈ 0 °C |
| Freezing point | : ≈ 0 °C |
| Boiling point | : ≈ 100 °C |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : > 60 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Log Kow | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : > 1,01 kg/l |
| Relative density | : Not available |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Bases. Acids. Oxidising agents.

10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5) | |
|---|---|
| LD50 oral rat | > 300 – ≤ 2000 mg/kg bodyweight |
| LD50 dermal | > |
| LC50 Inhalation - Rat (Dust/Mist) | 100 mg/l |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) | |
| LD50 oral rat | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 5,09 mg/l |
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not applicable.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

| | |
|----------------|-----------|
| LC50 fish 1 | 2,18 mg/l |
| EC50 Daphnia 1 | 2,94 mg/l |
| ErC50 (algae) | 150 µg/l |

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| | |
|----------------------|-------------|
| LC50 fish 1 | > 1000 mg/l |
| EC50 Daphnia 1 | > 1000 mg/l |
| EC50 72h - Algae [1] | > 100 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

| | |
|------------|-------------|
| BCF fish 1 | 6,62 |
| Log Pow | -0,9 – 0,99 |

12.4. Mobility in soil

Rubio Monocoat Precolor Easy

| | |
|----------------|------------------|
| Ecology - soil | mobile in soils. |
|----------------|------------------|

1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

| | |
|-----------------|--------------------------|
| Surface tension | 72,6 mN/m |
| Log Koc | 0,97 |
| Ecology - soil | Very mobile in the soil. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste disposal recommendations : Dispose of in accordance with relevant local regulations. Discharging into rivers and drains is forbidden.
Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW, EC 2000/532) : 16 10 01-
H code : Z

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|-----------------------------------|-----------------------------------|-----------------------------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0 g/l

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

| France | |
|-----------------------|--|
| Occupational diseases | |
| Code | Description |
| RG 65 | Eczematiform lesions of allergic mechanism |
| RG 66 | Occupational rhinitis and asthma |

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(3) - hazardous for aquatic organisms

SZW-list of carcinogenic substances : None of the components are listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Development

Denmark

Danish National Regulations : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|--|--|
| Acute Tox. 1 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 1 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction. |

Rubio Monocoat Precolor Easy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.