

Surface Care

Ready-to-use spray for regularly cleaning all oiled wooden surfaces

Surface Care is the handy, ready-to-use spray version of the Universal Soap and is used for the regular cleaning of all oiled surfaces. This Surface Care is very suitable for cleaning smaller areas and local stains on floors, tables, worktops, etc.

PRODUCT INFORMATION


› Specific characteristics

- Ready-to-use cleaning product
- Soap with cleaning function
- Retains the matt and natural appearance of the wood
- pH neutral
- 0% VOC

› Technical characteristics

- Physical state at 20 °C: liquid
- Odour: citrus fruits
- Colour: yellow
- Density: 1.00 kg/L
- pH value: 6-8
- VOC content: 0 g/L

› Packaging



› Storage

The product can be stored up to 36 months in dry conditions and in its original packaging. Keep away from frost.

APPLICATION INFORMATION

› Instructions

STEP 1. Clean the surface. Remove dust, sand, stones, etc.

STEP 2. Spray Surface Care onto the surface.

STEP 3. Clean the surface with a Microfiber Cloth.


STEP 4. Allow to dry (± 15 min). Do not use the surface until it is completely dry.

Caution, do not leave too much product on the surface, it is sufficient to simply clean wet.






› Tips & Tricks

- We recommend cleaning with Surface Care no more than once a week. Cleaning too often can leave a light film on the surface on which dust and dirt can settle.
- Although many stains can be removed with Surface Care, Rubio Monocoat has also developed a number of specific stain removers in case they do not disappear with the regular soap (e.g. stubborn lime stains, grease stains, black/tannic acid stains).

› Tools



› Related products



Check the packaging and the safety data sheet for more details.

For our complete assortment of products for the protection and colouring of interior and exterior wood, please visit
www.rubimonocoat.com

LIABILITY: It is the user's responsibility to establish, through his own tests, whether the product is suitable for the chosen application. In no case can Muylle Facon NV be held liable for any consequential damage. The information above may be subject to changes, which will be published in the updated versions of the technical data sheet. We cannot be held liable for poor results due to causes that are not related to the quality of the product. This technical information has been drawn up based on the currently available information and knowledge. The most recent technical data sheets can be requested or are available on the website.

Date of TDS: 25/11/2025. Check the safety information before using the product.



Rubio[®]
MONOCOAT
MUYLLE  FACON

Muylle Facon NV

Ambachtenstraat 58
8870 Izegem (BELGIUM)

Phone +32 (0) 51 30 80 54

Fax +32 (0) 51 30 99 78

info@muyllefacon.be

www.rubimonocoat.com